



Endura

Fuel dispenser for retail,
commercial and
industrial applications.

- Robust & Reliable
- Complete Flexibility
- Cost Effective

Fuel dispensing solutions



 **GILBARCO
VEEDER-ROOT**
Powered by Vontier

ENDURA FUEL DISPENSER

Meet the Endura, the compact but mighty fuel dispenser designed for high performance in the most demanding retail and commercial environments.

The Endura is truly built to endure and last, featuring a high quality build and best-in-class components proven to stand the test of time.

A history of quality German engineering is backed up with the latest in dispensing technology innovation, with optional integrated control & data acquisition system, ready to fuel your business today and in the future.



Reliable and Durable

- Precision German engineering and design
- Highly suited for heavy duty usage in demanding retail, commercial and industrial environments
- Best-in-class hydraulics and electronics components
- Choice of hard wearing exteriors: powder coated steel
- Durable housing and hanging hardware



Cost-effective solution

- High quality build with proven components
- Minimal maintenance
- Low total cost of ownership
- One step electronic calibration for easy calibration



Flexible and Adaptable

- Offers different flow rates with one or two hose options
- ATEX/MID certification as standard
- Customisable housing





Technical Specifications

ENDURA	
Gilbarco Veeder-Root Electronic Calculator (MID compliant)	
Electrical specifications:	230/400V AC 3-phase, 230V AC 1-phase, 50Hz +/- 2%
Communications protocols	Gilbarco Veeder-Root 2-wire and multiwire (pulse) output
Display:	25mm display with 15 minute battery back up after power fail
Temperature range:	-20°C to 55°C (up to -40°C optional)
Meter:	Gilbarco Veeder-Root HD Meter
Fuel:	Petrol, Diesel, E15, E85 and Biodiesel (100%)
Flow rates:	40, 70, 120, 120/40 LPM
Grades/hoses:	1 petrol/diesel grade with 1 or 2 hoses (1 fuelling position)
Dimensions (mm):	583.5 (W) x 1566.5 (H) x 428 (D). 1818.5 (H) with hose mast

Options

- Electromechanical totaliser
 - Additional hose length
 - Enhanced corrosion protection
 - Safety breakaway coupling
 - Combi-display shows volume and pricing
- Hose mast
 - Customised colour and livery
 - IFSF LON, Kienzle (ER3), Pumalan Protocol
 - Multi-wire (Pulse outlet connectivity)
- Nozzle locks
 - Heater for below -20°C
 - Automatic Temperature Compensation (ATC)





Your dispenser, your way.

Our experience and expertise in the fuelling industry means we understand a forecourt's business and consumer needs better than anybody. Gilbarco Veeder-Root stands for quality, innovation and seamless integration.

To find out more about how you could grow your business with our industry leading dispensing solutions, speak to your relationship manager or visit www.gilbarco.com/eu

Email: euenquiries@gilbarco.com

P-2978 Rev A

 **GILBARCO
VEEDER-ROOT**
Powered by Vontier