

# FlexPay™ B2B WIDE

Outdoor Payment Terminal  
(OPT)



- ✓ Best fit for full unmanned and fast lanes
- ✓ Modern and technological look and feel
- ✓ Extremely visible on the forecourt
- ✓ Unbeatable user experience



Payment Solutions



**GILBARCO  
VEEDER-ROOT**

## Designed for maximum profit generation

The unique FlexPay B2B WIDE was the first double-sided Outdoor Payment Terminal allowing payments by cash or cards to be made simultaneously on both sides of the terminal.

FlexPay B2B WIDE has been designed to support both attended and unattended sites permitting constant refuelling on both sides of a fast lane for maximum profitability around the clock.



## Why FlexPay B2B WIDE?

A standalone double-sided OPT, the FlexPay B2B WIDE is the perfect solution for fast lane operations and unattended sites. Designed to extend sales operation and increase your profitability.

- Wide range of payment methods supported
- Integrated media advertisement for upselling and promotions in the shop

## Maximum Flexibility

FlexPay B2B WIDE is highly configurable offering a wide range of options as factory fit or retrofit in field:

- Single or double side
- Hybrid manual or motorized card reader
- 2D barcode reader
- Contactless reader
- Different types of printers
- Security options for cards and cash
- Different models of cash acceptance with a choice of standard, sealing bag or stacker solution
- Small Board Computer (SBC)

## Unbeatable User-Experience

FlexPay B2B WIDE features a user-friendly touch screen for ultimate speed and ease of use.

- Best-in class customer experience
- Widest choice of payment options for maximum convenience
- Improve customer loyalty
- Stay ahead of the competition



# Unique Payment Platform

The FlexPay B2B WIDE features Gilbarco Veeder-Root's proprietary payment platform (SPOT M7).

- Best investment in the market
- Highest security
- Integrated multimedia capability


## Key Characteristics



### Highest security

Proprietary SPOT M7 payment platform technology offers maximum protection against anti-skimming devices and fraud.


- ✓ Complies with the highest security level
- ✓ Meets the latest international bank security standards



### Powerful PC Board

An option on the terminal communicates with POS/BOS/FCC to deliver a seamless customer experience:

- ✓ Control the OPT mode
- ✓ Send sales data to BOS database
- ✓ Send services, prices and information



### Easy to install

Compact design to fit in small spaces.

- ✓ Flexible positioning. Can be orientated on any four sides
- ✓ Easy to upgrade and fit in place of older Gilbarco Veeder-Root terminals



### Access Hierarchy

Set different access levels for different types of user or activity, for example paper roll changes, maintenance work and banknote withdrawals.



## Technical Specifications

<b>Based on</b>	Gilbarco Veeder-Root's proprietary SPOT M7 technology
<b>Models &amp; Configurations</b>	Single or double-sided standalone OPT with WIDESCREEN
<b>Payment modes accepted</b>	Banknotes and EMV chip cards Optional: contactless, coupons with 2D barcodes, fuel, fleet and loyalty cards
<b>Card reader</b>	Hybrid, manual or motorized with anti-skimming (SPOT M7) Optional contactless card reader
<b>Barcode reader (Optional)</b>	Barcodes, EAN Code 128, and QR Code formats supported
<b>Printer</b>	Thermal graphic printer with high print quality Tear off or automatic cutting system. Paper width: 60mm
<b>Display</b>	12" wide screen with touch functionality and vandal resistant glass display
<b>Keyboard</b>	16-key metal pin pad
<b>Electrical characteristics</b>	Supply voltage: 230V~ + 10% -15% Network frequency: 48 – 62 Hz Maximum current: electronic line: 0,8A - 5,0A (spike); climate control line: 2,0A – 6,0A (peak) Installation category: I
<b>Connectivity</b>	Ethernet connection with TCP / IP on CAT5 cable
<b>IP rating (upper)</b>	Without flaps: IP33; with flaps (optional): IP54
<b>IP rating (lower)</b>	IP33 (excluding the bezel for banknote acceptance)
<b>Operating environment</b>	-25°C to +55°C
<b>Dimensions (mm)</b>	L: 400 x H: 1765 x D: 650 (1530 with open door)
<b>Certifications</b>	EMV Level 1 and Level 2, PCI PTS 4x (SPOT M7), ABI Microcircuit
<b>Options (*)</b>	Barcode scanner, contactless reader, LED lighting, IP54 rating (with flaps) Devices for unattended stations including banknote withdrawal, auto-sealing bag, stacker devices (bills hosted in cash box) and SPOT INKER for staining banknotes

## Behind every successful forecourt

Gilbarco Veeder-Root has more than 40 years' experience serving the fuel retail industry with expertly constructed and technology-rich payment solutions that stand the test of time.

To find out more about how you could grow your business with our industry leading payment solutions, speak to your relationship manager or visit [www.gilbarco.com/eu](http://www.gilbarco.com/eu)

Email: [evenquiries@gilbarco.com](mailto:evenquiries@gilbarco.com)

