

SK700-II LPG

Easy LPG solutions adapted to fit your needs

- ✓ Seamless LPG integrations
- ✓ Standalone and combi versions available
- ✓ ATEX and MID approved
- ✓ Field proven LPG hydraulics design
- ✓ Mix and match models and configurations while keeping the same look across your fuel grades



Your dispenser, your way



**GILBARCO
VEEDER-ROOT**

SK700-II LPG

Easy to integrate LPG solution.

With **over 47,000 forecourts** and more than **fifteen million vehicles already converted**, LPG is the most widely used alternative fuel to petrol and diesel in Europe. With LPG increasingly being made of renewable sources, the availability of Bio-LPG attracts more & more customers to your forecourt, so why wait to add it to yours?

The SK700-II alternative fuel dispenser range is designed for you, to offer LPG as a standalone fuel product or combined with other fuel grades from the same dispenser, with the utmost safety.




Why Gilbarco Veeder-Root?

A trusted partner for over 150 years.

Our experience and expertise in the fuelling industry means we understand a forecourt's business and consumer needs better than anybody. Gilbarco Veeder-Root stands for quality, innovation and seamless integration.

We have an innovative range of dispensing products and services, each designed and manufactured to improve the uptime, security and accuracy of your forecourt. We use our focus and knowledge to build the sophisticated and reliable refuelling solutions that help with building better business.




The efficiency, reliability and safety offered by Gilbarco Veeder-Root's robust, low maintenance products will continue keeping your lifetime costs down.

Technical Specifications


Technical Specifications	Standard Features	Options
Hydraulics	LPG hydraulics with 1 or 2 meters Electronic meter calibration Break away coupling – Elaflex	Solenoid valve: two stage dual flow for pre-set Shear valve
Electronics	Pulser Calculator LCD display (back lit) Dead man push button	Emergency stop button Automatic Temperature Compensation (selected countries) Pre set keypad Computer head door alarm Bolt-on CRIND ready Communication protocol options Electromechanical totaliser
Mechanical	Housing – painted steel Frame – hot galvanized sheet metal Hose Management – internal hose connection CR LPG hose and nozzle – Elaflex	Stainless steel hose column and hydraulic panels Livery options on request Types of nozzles on request Nozzle lock Hose management system: external hose with rope retract

Technical Characteristics & Performance


Environmental	Climate: Marine, tropical, industrial, polar I Ambient temperature range: -25°C to +50°C (-40°C optional)
Meter Characteristics	Displacement: 0,500L I Maximum flow rate: 50L/min I Minimum flow rate: 5L/min I Accuracy within the flow range: $\pm 1\%$ I Maximum service pressure (operating pressure): 25 bar
Electrical	230V (+10%; -15%), 50Hz ± 2 Hz



SK700-II LPG Standalone



SK700-II LPG Combi



SK700-II LPG Add-on

The SK700-II LPG Range

A complete range of SK700-II LPG configurations, all of which are compatible with a wide selection of options, so there is a solution to suit any forecourt.



SK700-II LPG Standalone
Compact and efficient

- Lane orientation
- 1 or 2 nozzles
- Small footprint



SK700-II LPG Combi
Modular and versatile

- Lane orientation
- Up to 8 hoses
- LPG plus maximum 3 grades



SK700-II LPG Add-On
Multiproduct

- Lane orientation
- Up to 10 hoses
- LPG plus maximum 4 grades

Mix and match models and configurations to build a tailor-made LPG solution for your forecourt, whilst maintaining a uniformed branding across your alternative and conventional fuel dispensers.

Every dispenser in the SK700-II LPG range is ATEX and MID approved and each one is tested and sealed at Gilbarco Veeder-Root's own facility before shipment, so that when it arrives at your forecourt it is approved and ready to use.

Your dispenser, your way.

Our 150 years' experience in the fuelling industry means we understand your business' fuelling needs better than anyone else.

Gilbarco Veeder-Root stands for quality, innovation and seamless integration and we are ready to help you transform your business.

To find out more about our AdBlue series, or any of our industry leading fuelling technologies, speak to your relationship manager or visit our website.



Email: euenquiries@gilbarco.com
Website: www.gilbarco.com/eu

